



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/442,773	11/18/1999	RYUICHI KATAYAMA	016778/0398	6370

7590 04/26/2004
FOLEY & LARDNER
WASHINGTON HARBOUR
SUITE 500
3000 K STREET NW
WASHINGTON, DC 200075109

EXAMINER

PSITOS, ARISTOTELIS M

ART UNIT	PAPER NUMBER
----------	--------------

2653

DATE MAILED: 04/26/2004

23

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/442,773

Applicant(s)

KATAYAMA, RYUICHI

Examiner

Aristotelis M Psitos

Art Unit

2653

— The MAILING DATE of this communication appears on the cover sheet with the correspondence address —
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 2/4/04
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1, 2 is/are allowed.
- 6) ☒ Claim(s) 3 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 2/4/04 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

Art Unit: 2653

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after allowance or after an Office action under *Ex Parte Quayle*, 25 USPQ 74, 453 O.G. 213 (Comm'r Pat. 1935). Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, prosecution in this application has been reopened pursuant to 37 CFR 1.114. Applicant's submission filed on 2/4/04 has been entered.

Claim Rejections - 35 USC § 102

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim Rejections - 35 USC § 103

3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

4. Claim 3 is rejected under 35 U.S.C. 102(a) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Katayama et al.

Katayama et al discloses in the optical environment a focusing and tracking system using a holographic lens with a staircase profile – note figs. 6a and b for instance. This system is interpreted by the examiner as providing both a pp and dp tracking abilities as recited.

Alternative, if applicants' can convince the examiner that such is not the case, then the examiner would rely upon the acknowledged prior art for teaching such.

Katayama further discloses that the dielectric film is on a glass substrate as required by the claim.

5. Claim 3 is rejected under 35 U.S.C. 102(b) as being anticipated by WO 98/19303 or alternatively under 35 U.S.C. 103 as obvious over the WO document to Kajiyama et al.

Art Unit: 2653

The examiner is relying upon US Patent 6552990 to provide the English translation of the WO document.

Applicants' attention is drawn to figure 1 and its description. Note that the dielectric film is provided on a glass substrate - see figure 6 and the description of figure 1. Furthermore, the length of the staircase varies accordingly - see col. 9 lines 36-39.

With respect to the tracking ability, the examiner interprets such to be inherently present.

Alternatively, see the acknowledged prior art, which discloses such.

It would have been obvious to modify the base system of Kajiyama et al with the acknowledged prior art tracking methods, motivation is to use existing tracking methods so as to save valuable resources - such as time in designing new tracking systems.

Allowable Subject Matter

6. Claims 1 and 2 are allowed.

None of the cited prior art teaches or discloses the particular length limitations as recited in independent claim 1.

Hard copies of the application files are now separated from this examining corps; hence the examiner can answer no questions that require a review of the file without sufficient lead-time.

Any inquiries concerning missing papers/references, etc. must be directed to Group 2600 Customer Services at (703) 306-0377.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aristotelis M Psitos whose telephone number is (703) 308-1598. The examiner can normally be reached on M-Thursday 8 - 4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William R. Korzuch can be reached on (703) 305-6137. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2653

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Aristotelis M Psitos
Primary Examiner
Art Unit 2653



AMP